

References

- [1] C. Berceanu and D. Tarniță, “Mechanical Design and Control Issues of a Dexterous Robotic Hand,” *Advanced Materials Research*, vol. 463, no. 1, pp. 1268–1271, Feb. 2012.
- [2] J. S. Cuellar, G. Smit, A. A. Zadpoor, and P. Breedveld, “Ten guidelines for the design of non-assembly mechanisms: The case of 3D-printed prosthetic hands,” *Proc Inst Mech Eng H*, vol. 232, no. 9, pp. 962–971, Sep. 2018, doi: [10.1177/0954411918794734](https://doi.org/10.1177/0954411918794734).
- [3] L. Jones, “Dextrous Hands: Human, Prosthetic, and Robotic,” *Presence: Teleoperators and Virtual Environments*, vol. 6, no. 1, pp. 29–56, Feb. 1997, doi: [10.1162/pres.1997.6.1.29](https://doi.org/10.1162/pres.1997.6.1.29).
- [4] S. A. Dalley, H. A. Varol, and M. Goldfarb, “A Method for the Control of Multigrasp Myoelectric Prosthetic Hands,” *IEEE Transactions on Neural Systems and Rehabilitation Engineering, Neural Systems and Rehabilitation Engineering, IEEE Transactions on, IEEE Trans. Neural Syst. Rehabil. Eng.*, vol. 20, no. 1, pp. 58–67, Jan. 2012, doi: [10.1109/TNSRE.2011.2175488](https://doi.org/10.1109/TNSRE.2011.2175488).
- [5] A. Mohammadi *et al.*, “A practical 3D-printed soft robotic prosthetic hand with multi-articulating capabilities.,” *PLoS ONE*, vol. 15, no. 5, pp. 1–23, May 2020.
- [6] D. G. Caldwell and N. Tsagarakis, “Biomimetic actuators in prosthetic and rehabilitation applications.,” *Technology & Health Care*, vol. 10, no. 2, p. 107, Apr. 2002.
- [7] J. Andrés-Esperanza, J. L. Iserte-Vilar, I. Llop-Harillo, and A. Pérez-González, “Affordable 3D-printed tendon prosthetic hands: Expectations and benchmarking questioned,” *Engineering Science and Technology, an International Journal*, Jan. 2021, [Online]. Available: <https://ezproxy.lafayette.edu/login?url=https://search.ebscohost.com/login.aspx?direct=true&db=edselp&AN=S2215098621001749&site=eds-live>
- [8]

A. Di Lallo, R. Murphy, A. Krieger, J. Zhu, R. H. Taylor, and H. Su, "Medical Robots for Infectious Diseases: Lessons and Challenges from the COVID-19 Pandemic," *IEEE Robotics Automation Magazine*, vol. 28, no. 1, pp. 18–27, Mar. 2021, doi: [10.1109/MRA.2020.3045671](https://doi.org/10.1109/MRA.2020.3045671).

[9]

M. N. O. Sadiku, S. M. Musa, and O. M. Musa, "Robots in the Chemical Industry," *SSRN Journal*, 2018, doi: [10.2139/ssrn.3267294](https://doi.org/10.2139/ssrn.3267294).

[10]

V. Oza and P. Mehta, "Arduino Robotic Hand: Survey Paper," in *2018 International Conference on Smart City and Emerging Technology (ICSCET)*, Jan. 2018, pp. 1–5. doi: [10.1109/ICSCET.2018.8537312](https://doi.org/10.1109/ICSCET.2018.8537312).

[11]

T. Laliberté and C. Gosselin, "Underactuation in space robotic hands," *Canadian Space Agency*, Oct. 2021.

[12]

T. Ueno and M. Oda, "Robotic hand developed for both space missions on the International Space Station and commercial applications on the ground," in *2009 IEEE/RSJ International Conference on Intelligent Robots and Systems*, Oct. 2009, pp. 1791–1796. doi: [10.1109/IROS.2009.5354482](https://doi.org/10.1109/IROS.2009.5354482).

[13]

L. Zollo, S. Roccella, E. Guglielmelli, M. C. Carrozza, and P. Dario, "Biomechatronic Design and Control of an Anthropomorphic Artificial Hand for Prosthetic and Robotic Applications," *IEEE/ASME Transactions on Mechatronics*, vol. 12, no. 4, pp. 418–429, Aug. 2007, doi: [10.1109/TMECH.2007.901936](https://doi.org/10.1109/TMECH.2007.901936).

[14]

R. Ghazali, M. Z. Saad, S. Y. S. Hussien, M. H. Jali, F. N. Zohedi, and T. A. Izzuddin, "Intelligent Controller Design for Multifunctional Prosthetics Hand," *International Journal of Mechanical Engineering and Robotics Research*, vol. 6, no. 6, p. 495.

[15]

T. Triwiyanto, I. P. A. Pawana, T. Hamzah, and S. Luthfiyah, "Low-cost and open-source anthropomorphic prosthetics hand using linear actuators," *TELKOMNIKA (Telecommunication Computing Electronics and Control)*, vol. 18, no. 2, p. 953.

[16]

N. P. Dasanayake *et al.*, "iGrasp Hand: A Biomimetic Transradial Robotic Hand Prosthesis with a Clutching Mechanism," in *2021 Moratuwa Engineering Research*

Conference (MERCon), Jul. 2021, pp. 190–195. doi:

[10.1109/MERCon52712.2021.9525767](https://doi.org/10.1109/MERCon52712.2021.9525767).

[17]

J. Zhou *et al.*, “A Soft-Robotic Approach to Anthropomorphic Robotic Hand Dexterity,”

IEEE Access, *Access, IEEE*, vol. 7, pp. 101483–101495, Jan. 2019, doi:

[10.1109/ACCESS.2019.2929690](https://doi.org/10.1109/ACCESS.2019.2929690).

[18]

“Silicone cover for lower limb prostheses,” *Ottobock*.

<https://www.ottobockus.com/products/custom-silicone-leg-cover/> (accessed Oct. 04, 2021).

[19]

P. Rothemund, N. Kellaris, S. K. Mitchell, E. Acome, and C. Keplinger, “HASEL

Artificial Muscles for a New Generation of Lifelike Robots—Recent Progress and Future Opportunities,” *Advanced Materials*, vol. 33, no. 19, p. 2003375, 2021, doi:

[10.1002/adma.202003375](https://doi.org/10.1002/adma.202003375).

[20]

J. M. Burck, J. D. Bigelow, and S. D. Harshbarger, “Revolutionizing Prosthetics: Systems Engineering Challenges and Opportunities,” *JOHNS HOPKINS APL TECHNICAL DIGEST*, vol. 30, no. 3, p. 12, 2011.

[21]

K. N. Tarchanidis and J. N. Lygouras, “Data glove with a force sensor,” *IEEE*

Transactions on Instrumentation and Measurement, vol. 52, no. 3, pp. 984–989, Jun.

2003, doi: [10.1109/TIM.2003.809484](https://doi.org/10.1109/TIM.2003.809484).

[22]

J.-H. Kim, N. D. Thang, and T.-S. Kim, “3-D hand motion tracking and gesture

recognition using a data glove,” in *2009 IEEE International Symposium on Industrial Electronics*, Jul. 2009, pp. 1013–1018. doi: [10.1109/ISIE.2009.5221998](https://doi.org/10.1109/ISIE.2009.5221998).